EPOS

EXPAND 40 Series

EXPAND 40 EXPAND 40 + **EXPAND 40T**

Instant Conferencing Enhanced

Sleek and portable wireless Bluetooth® speakerphone with exceptional audio performance. Join meetings instantly and experience crystal clear audio on both ends of the call. Three beamforming microphones isolate voices from room reverb and ambient noise for a rich and dynamic audio experience.

Easy to setup and use with multiple connection options (Bluetooth® or USB-C cable) for plug-and-play conferencing anywhere. Long battery life with up to 18 hours talk time. Supports both personal use and small to medium sized meeting rooms for up to 8 people.

Robust push buttons and LED indicators provide intuitive call control and peace of mind as to call status (mute/on call etc.). Stay up to date with the latest firmware and optimize device performance with EPOS Software Solutions. Meet the upgraded choice for great audio on the go.

See more at eposaudio.com/expand-40



Key benefits & features

Reduce background noise

Three beamforming microphones isolate voices from room reverb and ambient noise

Allows simultaneous speech

Industry-leading duplex performance enables several people to talk at once without being cut off

EPOS Software Solutions

Tailor the device and maintain optimal performance by remotely updating to the latest firmware with **FPOS Software Solutions**

Multiple connection options

Bluetooth® or USB-C cable for easy plug-and-play conferencing anywhere

Comes in three versions

UC Optimized (including or excluding Bluetooth® USB dongle) or Microsoft Teams Certified with Bluetooth® USB dongle













EPJS

EXPAND 40 Series

Product data

General			
Color	Black, grey		
Speakerphone weight	314 g / 11.08 oz		
Speakerphone dimensions	120 x 37 mm / 4.72 x 1.47 in		
Supported operating systems	Windows and Mac®		
Warranty	2 years		
Audio			
EPOS Voice™ technology	For a clear and natural listening experience		
Microphone	Digital MEMS Enhanced Omni microphones (3 microphones)		
Microphone frequency response	150 - 7,500 Hz		
Microphone coverage	360 degrees		
Speaker frequency response	150 - 7,500 Hz in communication 100 - 20,000 Hz in audio streaming		
Music-Audio performance	Exceptional listening experience providing a neutral, authentic and powerful music reproduction through ultra-low distortion speaker with dynamic equalizer and bass enhancement.		
Communication-Audio performance	Natural and seamless conversation experience with exceptional speech intelligibility and industry-leading duplex performance, even in challenging environments. Achieved through multi path, multi-layer echo canceller, Digital Signal Processing (DSP) and dynamic speech enhancement algorithms.		
Technical			
Technology	Bluetooth® Version 5.0, supported profiles: A2DP 1.3 + AVRCP 1.6 + DI 1.3 + HFP 1.7 + HSP 1.2		
Talk time	Up to 18 hours		

Charging time	3 h 20 min		
Range	Up to 25 m / 82 feet		
LED indicators EXPAND 40 / EXPAND 40 +	Volume/mute, Bluetooth®, activity, battery/charging		
LED indicators EXPAND 40T	Volume/mute, Bluetooth®, activity, battery/charging, Microsoft Teams notifications		
Content of delivery			
What's in the box	EXPAND 40 Bluetooth® speakerphone with USB-C cable, USB-C to USB-A adapter, carry pouch, safety guide, quick guide, compliance sheet EXPAND 40 + / EXPAND 40T Bluetooth® speakerphone with USB-C cable, BTD 800 USB-C dongle, USB-C to USB-A adapter, carry pouch, safety guide, quick guide, compliance sheet		
Software EPOS devices can be managed with following	g Software solutions:		
EPOS Connect	Conduct firmware updates and configure headsets for personal audio preferences. EPOS Connect works for Windows, Mac and VDI/Thin client environments: eposaudio.com/software-epos-connect		
EPOS Manager	Manage, update and configure EPOS audio devices from any location - For both cloud and on-premises solutions: eposaudio.com/software-epos-manager		
Software compatibility			
UC & CC Compatible	Use our Compatibility tool to find the choices available to you and to learn about the different headset features: eposaudio.com/compatibility		

EXPAND 40 Series

Additional benefits & features

Long battery life

Up to 18 hours talk time

Multipoint connectivity

Easily connect to two Bluetooth® devices simultaneously

Robust push buttons and clear LED indicators

For intuitive call control and peace of mind as to call status (mute/on call etc.)

Modern, portable design

Sleek, minimalistic round design engineered to fit every space and allow for optimal voice capture

Easy implementation and operation

Simple for users to operate and easy for IT Managers to implement

Slender pouch

Sleek and easy to transport, prevents wear and tear

One touch access

To Voice Assistant or Microsoft Teams

UC and Microsoft Teams ready

Optimized for UC and certified for Microsoft Teams

Two-year warranty

Ensures your investment is protected

Statement Scandinavian design

Minimalistic and constructed with premium materials.

Matte black with aluminum finish

Product overview

Connects to	Product	Description	Size of meeting room	Details	EAN / UPC code
PC, smartphone and tablet via Bluetooth®/ USB-C*/NFC	EXPAND 40 Art. no. 1000661	Bluetooth® speaker- phone with USB-C cable and USB-C to USB-A adapter. Optimized for UC*	Small to medium sized meeting rooms	Call, multimedia and music listening	EAN: 5714708004622 UPC: 840064404624
	EXPAND 40 + Art. no. 1000662	Bluetooth® speaker- phone with USB-C cable, BTD 800 USB-C dongle, USB-C to USB-A adapter. Optimized for UC*	Small to medium sized meeting rooms	Call, multimedia and music listening	EAN: 5714708004639 UPC: 840064404631
	EXPAND 40T Art. no. 1000937	Bluetooth® speaker- phone with USB-C cable, BTD 800 USB-C dongle, USB-C to USB-A adapter. Certified for Microsoft Teams**	Small to medium sized meeting rooms	Call, multimedia and music listening	EAN: 5714708007388 UPC: 840064407380

^{*} USB-C connectivity is optimized for use with PC and Mac®. When USB-C is connected to smartphone or tablet performance is device dependent.

^{**} Microsoft Teams certification applies when USB-C cable or USB-C dongle is connected to PC or Mac®.



