Data sheet

Cisco public



Cisco Multi-head Cables

Contents

Product overview	3
Features and benefits	3
Product specifications	4
Important note	4
Warranty information	5
Cisco environmental sustainability	5
Ordering information	5
Cisco Services	6
Cisco Capital	6
For more information	6



Figure 1. Cisco Multi-head Cable 4K

Product overview

Cisco® multi-head cables provide flexibility and pleasing aesthetics in meeting rooms, and hassle-free content sharing for the user. The cables can connect a wide range of laptops to a Cisco video-conferencing system without the hassle of using multiple dongles. They clean up the meeting space with a sleek single-cable design while ensuring the quality of the signal up to a 29.5-foot range. And users don't need to worry about bringing the right dongles to the meetings.

The multi-head cables support audio and video from a laptop to Cisco video-conferencing endpoint via HDMI.

Features and benefits

Cisco offers 2 multi-head cable models delivering 4K resolution capability that are compatible with all devices in the Webex® Room Series and Board Series, to help you connect laptops to video conferencing systems a breeze (see Table 1).

Product specifications

 Table 1.
 Product specifications

FEATURE	MULTI-HEAD 4K - 9M	MULTI-HEAD 4K - 2.5M
Description	29.5 feet (9 meters) connector cable, up to 4K 30fps	8.2 feet (2.5 meters) connector cable, up to 4K 30fps
Product compatibility	 Webex Room Kit Mini Webex Room Kit Plus Webex Room Kit Pro Webex Room Kit Pro Webex Codec Plus Webex Codec Pro Webex Room 55 Webex Room 55 Dual Webex Room 70 Webex Room 70 G2 Webex Room Panorama Webex Board 55S Webex Board 70S Webex Board 85S Webex Board Pro 55 Webex Board Pro 55 	 Webex Room Kit Mini Webex Room Kit Plus Webex Room Kit Pro Webex Codec Plus Webex Codec Pro Webex Room 55 Webex Room 55 Dual Webex Room 70 Webex Room 70 G2 Webex Room Panorama Webex Board 55S Webex Board 70S Webex Board 85S Webex Board Pro 55 Webex Board Pro 55 Webex Board Pro 75
Connectors	 HDMI type A to: USB-C Mini display port HDMI type A (For USB-C, the video source must support DP alternate mode) Maximum resolution 4K (4096 x 2160 pixels) at 30fps 	 HDMI type A to: USB-C Mini display port HDMI type A (For USB-C, the video source must support DP alternate mode) Maximum resolution 4K (4096 x 2160 pixels) @ 30fps
Cable dimensions	 0.28 inch cable diameter (7.6 mm) 29.5 feet length (9 meters) 0.43 inch connector height (11.5 mm) 	 0.26 inch cable diameter (6.5mm) 8.2 feet length (2.5 meters) 0.43 inch connector height (11.5 mm)
Weight	1.59 lb (720 g)	0.49 lb (220 g)

Important note

Cisco multi-head 4k cables must be connected directly to a supported Webex Device and to a laptop (without dongle in between).

Warranty information

Warranty information is available on Cisco.com at the **Product Warranties** page.

Cisco environmental sustainability

Information about Cisco's environmental sustainability policies and initiatives for our products, solutions, operations, and extended operations or supply chain is provided in the "Environment Sustainability" section of Cisco's <u>Corporate Social Responsibility</u> (CSR) Report.

Reference links to information about key environmental sustainability topics (mentioned in the "Environment Sustainability" section of the CSR Report) are provided in the following table:

SUSTAINABILITY TOPIC	REFERENCE
Information on product material content laws and regulations	<u>Materials</u>
Information on electronic waste laws and regulations, including products, batteries, and packaging	WEEE compliance

Cisco makes the packaging data available for informational purposes only. It may not reflect the most current legal developments, and Cisco does not represent, warrant, or guarantee that it is complete, accurate, or up to date. This information is subject to change without notice.

Ordering information

Tables 2 and 3 provide ordering information to help customers understand all the components or parts you need to purchase in order to install and use the products.

To place an order, visit the Cisco Ordering Home Page. To download software, visit the Cisco Platform Suite.

Table 2. Ordering information

PRODUCT NAME	PART NUMBER
Cisco multi-head Cable, 4K, 9 meters	CAB-HDMI-MUL4K-9M
Cisco multi-head Cable, 4K, 2.5 meters	CAB-HDMI-MUL4K-2M

Table 3. Spare parts ordering information

PRODUCT NAME	PART NUMBER
Cisco multi-head Cable, 4K, 9 meters	CAB-HDMI-MUL4K-9M=
Cisco multi-head Cable, 4K, 2.5 meters	CAB-HDMI-MUL4K-2M=

Cisco Services

Cisco Services make networks, applications, and the people who use them work better together.

Today, the network is a strategic platform in a world that demands better integration between people, information, and ideas. The network works better when services, together with products, create solutions aligned with business needs and opportunities.

The unique Cisco lifecycle approach to services defines the requisite activities at each phase of the network lifecycle to help ensure service excellence. With a collaborative delivery methodology that joins the forces of Cisco, our skilled network of partners, and our customers, we can achieve the best results.

Cisco Capital

Flexible payment solutions to help you achieve your objectives

Cisco Capital makes it easier to get the right technology to achieve your objectives, enable business transformation and help you stay competitive. We can help you reduce the total cost of ownership, conserve capital, and accelerate growth. In more than 100 countries, our flexible payment solutions can help you acquire hardware, software, services and complementary third-party equipment in easy, predictable payments. Learn more.

For more information

Visit Cisco Collaboration Peripherals, or contact your local Cisco account representative for more information.

Americas Headquarters Cisco Systems, Inc. San Jose, CA Asia Pacific Headquarters Cisco Systems (USA) Pte. Ltd. Singapore Europe Headquarters Cisco Systems International BV Amsterdam, The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at https://www.cisco.com/go/offices.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: https://www.cisco.com/go/trademarks. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

Printed in USA C78-741432-03 12/21